

SOCKETED PVC PIPE BENOR REDDISH BROWN



Description

PVC sewer pipe, BENOR certified in accordance with NBN EN 1401. Supplied in RAL 8023 reddish-brown, suitable for waste water drainage (DWA).

The pipes are marked with the following information:

- Certification, BENOR mark
- Ring stiffness
- Production date
- Recycling guarantee
- Take-back guarantee
- Manufacturer's mark
- Diameter and wall thickness
- Application code: U or UD



SOCKETED PVC PIPE BENOR REDDISH BROWN

Application

PVC is resistant to all substances commonly found in domestic wastewater and is unaffected by aggressive soil environments such as peat acids, heavy clay soils, sandy soils with a humus-rich top layer, and similar conditions.

Substances such as acetone or chloroform, to which plastics are less resistant, must not be discharged into sewers for domestic or industrial wastewater.

Practical operating temperature range:

- Continuous: 60 °C
- Short-term: 90 °C

Characteristics

Characteristic	Value	Characteristic	Value
Raw material	PVC	Colour	Reddish brown
Pipe wall	Solid wall	Certificate	BENOR
Connection	Socketed	Certificate norm	EN 1401-1



SOCKETED PVC PIPE BENOR REDDISH BROWN

Variants

Article code	Commercial Code	Diameter Ø (mm)	Length (m)	Wall thickness (mm)	Ring stiffness
3064	BNG1103RB	110	3	3,20	SN8
3062	BNG1105RB	110	5	3,20	SN8
202583	BNG1251RB	125	1	3,20	SN4
8391	BNG1253RB	125	3	3,20	SN4
21074	BNG1253RBSN8	125	3	3,70	SN8
65294	PP1253SN8	125	3	4,30	SN8
31221	BNG1255RB	125	5	3,20	SN4
9387	BNG1255RBSN8	125	5	3,70	SN8
202595	BNG1601RB	160	1	3,20	SN2
3443	BNG1603RB	160	3	3,20	SN2
204070	BNG1603RBSN4	160	3	4	SN4
13006	BNG1603RBSN8	160	3	4,70	SN8
3441	BNG1605RB	160	5	3,20	SN2
3161	BNG1605RBSN4	160	5	4	SN4
3848	BNG1605RBSN8	160	5	4,70	SN8
204037	BNG2003RBSN4	200	3	4,90	SN4
13352	BNG2003RBSN8	200	3	5,90	SN8
3084	BNG2005RB	200	5	3,90	SN2
31117	BNG2005RBSN4	200	5	4,90	SN4
8719	BNG2005RBSN8	200	5	5,90	SN8
202630	BNG2503RBSN4	250	3	6,20	SN4
13354	BNG2503RBSN8	250	3	7,30	SN8
12061	BNG2505RB	250	5	4,90	SN2
3836	BNG2505RBSN4	250	5	6,20	SN4
8757	BNG2505RBSN8	250	5	7,30	SN8
64021	BNG3153R	315	3	6,20	SN2
13371	BNG3153RBSN4	315	3	7,70	SN4
13356	BNG3153RBSN8	315	3	9,20	SN8
9217	BNG3155RB	315	5	6,20	SN2
13337	BNG3155RBSN4	315	5	7,70	SN4
6135	BNG3155RBSN8	315	5	9,20	SN8
204039	BNG4003RBSN4	400	3	9,80	SN4
9218	BNG4005RB	400	5	7,90	SN2
13372	BNG4005RBSN4	400	5	9,80	SN4
14011	BNG4005RBSN8	400	5	11,70	SN8

