

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reference number: 100000523 Issue date: 15/05/2018 Revision date: 03/07/2021 Supersedes version of: 25/01/2021 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture : Silirub 2S Trade name

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use

Use of the substance/mixture : Sealants

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Soudal N.V. N.V. Everdongenlaan 18-20 2300 Turnhout Belaium

T +32 14 42 42 31 - F +32 14 42 65 14 sds@soudal.com - www.Soudal.com

1.4. Emergency telephone number

Emergency number : +32 14 58 45 45 (BIG)

24h/24h

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

FUH-statements : EUH210 - Safety data sheet available on request.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not

breathe spray or mist. (Except for black/brown/transparent product).

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
2-octyl-2H-isothiazol-3-one (26530-20-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-pentanone,O,O',O"-(methylsilylidyne)trioxime	CAS-No.: 37859-55-5 EC-No.: 484-460-1 REACH-no: 01-2120004323- 76	≥1-<5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Irrit. 2, H319
2-octyl-2H-isothiazol-3-one	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5 REACH-no: 01-2120768921- 45	< 0,1	Acute Tox. 2 (Inhalation), H330 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
2-octyl-2H-isothiazol-3-one	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5 REACH-no: 01-2120768921-	(0,0015 ≤C ≤ 100) Skin Sens. 1A, H317	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Respiratory problems:

consult a doctor/medical service.

First-aid measures after skin contact : Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do.

Continue rinsing. Consult an ophtalmologist if irritation persists.

First-aid measures after ingestion : Rinse mouth out with water. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : None known.

03/07/2021 (Revision date) EU - en 2/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of

water. Wash clothing and equipment after handling.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry area. Store at room temperature. Store in a well-ventilated place. Keep

container closed when not in use.

Packaging materials : Synthetic material.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

03/07/2021 (Revision date) EU - en 3/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

DNELDMEL (Workers)	0			
Acute - systemic effects, dermal Acute - systemic effects, inhalation Long-term - systemic effects, inhalation Long-term - systemic effects, inhalation DOELDMEL (General population) Acute - systemic effects, inhalation DOELDMEL (General population) Acute - systemic effects, inhalation Acute - systemic effects, oral Long-term - systemic effects, oral O.375 mg/kg bodyweight/day Long-term - systemic effects, oral Long-term - systemic effects, oral Long-term - systemic effects, oral O.333 mg/kg bodyweight/day Long-term - systemic effects, dermal O.333 mg/kg bodyweight/day Long-term - systemic effects, dermal O.333 mg/kg bodyweight/day PNEC Quater) PNEC Quater PNEC Quater PNEC Quater PNEC Quater PNEC sediment (freshwater) O.1 mg/l PNEC sediment (freshwater) PNEC sediment (freshwater) O.589 mg/kg dwt PNEC (Sediment) PNEC Sediment (marine water) O.975 mg/kg dwt PNEC Sediment (marine water) PNEC Sediment (marine water) PNEC Sediment (marine water) O.944 mg/kg dwt PNEC (Sediment (marine water) PNEC Sediment (freshwater) ON-184 mg/l PNEC Gwater) PNEC Quater PNE	2-pentanone,O,O',O"-(methylsilylidyne)trioxime (37859-55-5)			
Acute - systemic effects, inhalation Long-term - systemic effects, dermal Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNELDMEL (General population) Acute - systemic effects, dermal Acute - systemic effects, dermal Acute - systemic effects, inhalation Acute - systemic effects, oral Long-term - systemic effects, oral Long-term - systemic effects, oral Long-term - systemic effects, inhalation Acute - systemic effects, oral Long-term - systemic effects, oral Long-term - systemic effects, dermal D,037 mg/kg bodyweight/day PNEC (Water) PNEC (Water) PNEC acute (marine water) PNEC acute (marine water) PNEC acute (marine water) PNEC sediment (treatwater) PNEC sediment (marine water) PNEC sediment (marine water) PNEC sediment (marine water) PNEC sediment (parine water) PNEC sediment (marine water)				
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation O.228 mg/m² DNELDMEL (General population) Acute - systemic effects, dermal O.375 mg/kg bodyweight/day Acute - systemic effects, ornal O.375 mg/kg bodyweight/day Long-term - systemic effects, ornal Long-term - systemic effects, ornal Long-term - systemic effects, inhalation O.057 mg/kg Dodyweight/day Long-term - systemic effects, ornal O.033 mg/kg bodyweight/day PNEC (sedion- PNEC acqua (freshwater) PNEC acqua (freshwater) PNEC acqua (marine water) PNEC sediment (freshwater) PNEC sediment (freshwater) PNEC sediment (freshwater) PNEC soll PNEC soll PNEC (STP) PNEC soll O.044 mg/kg dwt PNEC (STP) PNEC waxage treatment plant Litanium dioxide (13463-67-7) DNEL/DMEL (Workers) Long-term - systemic effects, ornal PNEC (General population) Long-term - systemic effects, ornal PNEC water) PNEC water) PNEC water) PNEC acqua (freshwater) O.184 mg/l PNEC (sterm) PNEC water) PNEC acqua (freshwater) O.184 mg/l PNEC acqua (freshwater) O.193 mg/l PNEC (sediment) PNEC sediment (freshwater) O.193 mg/l PNEC (sediment) PNEC (sediment) PNEC (sediment) PNEC sediment (freshwater) O.193 mg/l PNEC (sediment) PNEC (sediment) PNEC (sediment) PNEC sediment (freshwater) O.193 mg/l PNEC (sediment) PNEC (sediment) PNEC sediment (freshwater) O.000 mg/kg dwt PNEC (sediment) PNEC sediment (freshwater) D.000 mg/kg dwt				
Long-term - systemic effects, inhalation 0.229 mg/m²	•			
DNEL/DMEL (General population) Acute - systemic effects, dermal Acute - systemic effects, inhalation Acute - systemic effects, inhalation Acute - systemic effects, oral Long-term - systemic effects, dermal DNEC (Water) PNEC (Water) PNEC (Water) PNEC (Sadiment) PNEC sadiment (freshwater) PNEC sadiment (freshwater) PNEC sadiment (marine water) PNEC sadiment (marine water) PNEC sadiment (marine water) PNEC soli DNEC (Soli) PNEC (Soli) PNEC soli DNEC (Soli) PNEC swage treatment plant titanium dioxide (13.463-67-7) DNEL/DMEL (Workers) Long-term - local effects, inhalation 10 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, oral PNEC (Sodiment) PNEC aqua (marine water) 0 .184 mg/l PNEC (Sodiment) PNEC aqua (marine water) 0 .0184 mg/l PNEC (Sodiment) PNEC aqua (marine water) 0 .0184 mg/l PNEC (Sodiment) PNEC aqua (marine water) 0 .0184 mg/l PNEC aqua (marine water) 0 .0184 mg/l PNEC aqua (marine water) 0 .0184 mg/l PNEC aqua (marine water) 1 000 mg/kg dwt PNEC (Sodiment) PNEC soli PNEC (Sodiment) PNEC soli PNEC soli 1 000 mg/kg dwt PNEC (Sodiment) PNEC soli PNEC soli 1 000 mg/kg dwt PNEC soli PNEC soli PNEC soli 1 000 mg/kg dwt PNEC soli PNEC soli PNEC soli PNEC soli 1 000 mg/kg dwt PNEC soli				
Acute - systemic effects, dermal Acute - systemic effects, inhalation 0,851 mg/m³ Acute - systemic effects, oral 0,375 mg/kg bodyweight/day Long-term - systemic effects, oral 0,033 mg/kg bodyweight/day Long-term - systemic effects, inhalation 0,057 mg/m³ Long-term - systemic effects, inhalation 0,057 mg/m³ Net C (Water) PNEC water) PNEC aqua (freshwater) PNEC aqua (freshwater) PNEC sediment (freshwater) PNEC sediment (freshwater) PNEC sediment (manine water) PNEC sediment (manine water) PNEC soil PNEC soil PNEC soil 10,044 mg/kg dwt PNEC sewage treatment plant 12,15 mg/l 14tanium dioxide (13463-67-7) DNEL/DMEL (Workers) Long-term - local effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral PNEC aqua (freshwater) 0,018 mg/m² PNEC water PNEC aqua (freshwater) 0,019 mg/kg bodyweight/day PNEC aqua (freshwater) 0,0184 mg/l PNEC aqua (freshwater) 0,0184 mg/l PNEC aqua (freshwater) 0,0184 mg/l PNEC aqua (freshwater) 1000 mg/kg dwt PNEC sediment (freshwater)	Long-term - systemic effects, inhalation	0,229 mg/m³		
Acute - systemic effects, inhalation	DNEL/DMEL (General population)			
Acute - systemic effects, oral 0,375 mg/kg bodyweight/day Long-term - systemic effects, oral 0,033 mg/kg bodyweight/day Long-term - systemic effects, inhalation 0,057 mg/m² Long-term - systemic effects, dermal 0,033 mg/kg bodyweight/day PNEC (Water) PNEC (Water) PNEC aqua (freshwater) 0,1 mg/l PNEC aqua (freshwater) 0,01 mg/l PNEC sediment (freshwater) 0,059 mg/kg dwt PNEC sediment (marine water) 0,057 mg/kg dwt PNEC sediment (marine water) 0,057 mg/kg dwt PNEC (Soil) PNEC soil 0,044 mg/kg dwt PNEC (STP) PNEC sewage treatment plant 2,15 mg/l titanium dioxide (13463-67-7) DNEL/DMEL (Workers) Long-term - local effects, inhalation 10 mg/m² DNEL/DMEL (General population) Long-term - systemic effects, oral 700 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,184 mg/l PNEC aqua (marine water) 0,193 mg/l PNEC aqua (intermittent, freshwater) 0,193 mg/l PNEC aqua (intermittent, freshwater) 0,193 mg/l PNEC (Sediment) PNEC sediment (freshwater) 1000 mg/kg dwt	Acute - systemic effects, dermal	0,375 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	Acute - systemic effects, inhalation	0,651 mg/m³		
Long-term - systemic effects, inhalation 0.057 mg/m³	Acute - systemic effects, oral	0,375 mg/kg bodyweight/day		
Long-term - systemic effects, dermal 0,033 mg/kg bodyweight/day	Long-term - systemic effects,oral	0,033 mg/kg bodyweight/day		
PNEC (Water) 0.1 mg/l PNEC aqua (freshwater) 0.01 mg/l PNEC aqua (marine water) 0.01 mg/l PNEC (Sediment) 0.569 mg/kg dwt PNEC sediment (freshwater) 0.569 mg/kg dwt PNEC (Soil) 0.044 mg/kg dwt PNEC soil 0.044 mg/kg dwt PNEC (STP) 0.057 mg/kg dwt PNEC sewage treatment plant 2.15 mg/l titanium dioxide (13463-67-7) 0.000 mg/kg DNELDMEL (Workers) 0.001 mg/m² Long-term - local effects, inhalation 10 mg/m² DNELDMEL (Seneral population) 10 mg/kg bodyweight/day Long-term - systemic effects, oral 700 mg/kg bodyweight/day PNEC (Water) 0.184 mg/l PNEC aqua (freshwater) 0.184 mg/l PNEC aqua (marine water) 0.193 mg/l PNEC (Sediment) 1000 mg/kg dwt PNEC sediment (freshwater) 1000 mg/kg dwt PNEC soil 100 mg/kg dwt PNEC (STP)	Long-term - systemic effects, inhalation	0,057 mg/m³		
PNEC aqua (freshwater) 0,1 mg/l PNEC aqua (marine water) 0,01 mg/l PNEC (Sediment) 0,569 mg/kg dwt PNEC sediment (freshwater) 0,569 mg/kg dwt PNEC (Soil) 0,044 mg/kg dwt PNEC soii 0,044 mg/kg dwt PNEC (STP) PNEC sewage treatment plant 2,15 mg/l titanium dioxide (13463-67-7) DNEL/DMEL (Workers) Long-term - local effects, inhalation 10 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 700 mg/kg bodyweight/day PNEC (Water) 0,184 mg/l PNEC aqua (freshwater) 0,184 mg/l PNEC aqua (intermittent, freshwater) 0,193 mg/l PNEC (Sediment) 1000 mg/kg dwt PNEC sediment (freshwater) 1000 mg/kg dwt PNEC (Soil) 1000 mg/kg dwt PNEC soil 1000 mg/kg dwt PNEC (Soil) 1000 mg/kg dwt PNEC (STP)	Long-term - systemic effects, dermal	0,033 mg/kg bodyweight/day		
PNEC aqua (marine water) 0,01 mg/l	PNEC (Water)			
PNEC (Sediment) PNEC sediment (freshwater)	PNEC aqua (freshwater)	0,1 mg/l		
PNEC sediment (freshwater) 0.569 mg/kg dwt PNEC sediment (marine water) 0.057 mg/kg dwt PNEC (Soil) PNEC soil 0.044 mg/kg dwt PNEC (STP) PNEC sewage treatment plant 2.15 mg/l titanium dioxide (13463-67-7) DNEL/DMEL (Workers) Long-term - local effects, inhalation 10 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects,oral 700 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,184 mg/l PNEC aqua (marine water) 0,0184 mg/l PNEC aqua (intermittent, freshwater) 0,193 mg/l PNEC aqua (intermittent, freshwater) 1000 mg/kg dwt PNEC sediment (freshwater) 1000 mg/kg dwt PNEC sediment (marine water) 100 mg/kg dwt PNEC sediment (marine water) 100 mg/kg dwt PNEC sediment (marine water) 100 mg/kg dwt PNEC soil 100 mg/kg dwt PNEC soil 100 mg/kg dwt	PNEC aqua (marine water)	0,01 mg/l		
PNEC sediment (marine water) PNEC (Soil) PNEC soil PNEC (STP) PNEC sewage treatment plant titanium dioxide (13463-67-7) DNEL/DMEL (Workers) Long-term - local effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral PNEC (Water) PNEC (water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, freshwater) PNEC sediment (freshwater) PNEC sediment (freshwater) PNEC sediment (freshwater) PNEC sediment (marine water)	PNEC (Sediment)			
PNEC (Soil) PNEC soil 0,044 mg/kg dwt PNEC (STP) PNEC sewage treatment plant 2,15 mg/l titanium dioxide (13463-67-7) DNEL/DMEL (Workers) Long-term - local effects, inhalation 10 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 700 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,184 mg/l PNEC aqua (marine water) 0,0184 mg/l PNEC aqua (intermittent, freshwater) 0,193 mg/l PNEC sediment (freshwater) 1000 mg/kg dwt PNEC sediment (freshwater) 1000 mg/kg dwt PNEC sediment (marine water) 1000 mg/kg dwt PNEC (Soil) PNEC Soil 100 mg/kg dwt PNEC STP)	PNEC sediment (freshwater)	0,569 mg/kg dwt		
PNEC (STP) PNEC sewage treatment plant titanium dioxide (13463-67-7) DNEL/DMEL (Workers) Long-term - local effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral PNEC (Water) PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, freshwater) PNEC sediment) PNEC sediment (freshwater) PNEC sediment (marine water) 1000 mg/kg dwt PNEC (Soil) PNEC (StP)	PNEC sediment (marine water)	0,057 mg/kg dwt		
PNEC (STP) PNEC sewage treatment plant titanium dioxide (13463-67-7) DNEL/DMEL (Workers) Long-term - local effects, inhalation 10 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 700 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,184 mg/l PNEC aqua (marine water) 0,193 mg/l PNEC aqua (intermittent, freshwater) 0,193 mg/l PNEC sediment (freshwater) 1000 mg/kg dwt PNEC sediment (freshwater) 1000 mg/kg dwt PNEC sediment (marine water) 100 mg/kg dwt PNEC soil 100 mg/kg dwt PNEC (Soil) PNEC soil 100 mg/kg dwt PNEC (STP)	PNEC (Soil)			
PNEC sewage treatment plant titanium dioxide (13463-67-7) DNEL/DMEL (Workers) Long-term - local effects, inhalation 10 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects,oral 700 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,184 mg/l PNEC aqua (intermittent, freshwater) 0,193 mg/l PNEC aqua (intermittent, freshwater) 1000 mg/kg dwt PNEC sediment) PNEC sediment (freshwater) 1000 mg/kg dwt PNEC sediment (marine water) 1000 mg/kg dwt PNEC soil 1000 mg/kg dwt PNEC (Soil) PNEC (STP)	PNEC soil	0,044 mg/kg dwt		
titanium dioxide (13463-67-7) DNEL/DMEL (Workers) Long-term - local effects, inhalation 10 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 700 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,184 mg/l PNEC aqua (intermittent, freshwater) 0,0184 mg/l PNEC aqua (intermittent, freshwater) 0,193 mg/l PNEC (Sediment) PNEC (Sediment) 1000 mg/kg dwt PNEC sediment (marine water) 100 mg/kg dwt PNEC (Soil) PNEC (Soil) PNEC (STP)	PNEC (STP)			
DNEL/DMEL (Workers) Long-term - local effects, inhalation 10 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 700 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,184 mg/l PNEC aqua (marine water) 0,0184 mg/l PNEC aqua (intermittent, freshwater) 0,193 mg/l PNEC (Sediment) PNEC (Sediment) 1000 mg/kg dwt PNEC sediment (freshwater) 100 mg/kg dwt PNEC (Soil) PNEC (Soil) 100 mg/kg dwt PNEC (STP)	PNEC sewage treatment plant	2,15 mg/l		
Long-term - local effects, inhalation 10 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects,oral 700 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,184 mg/l PNEC aqua (marine water) 0,0184 mg/l PNEC aqua (intermittent, freshwater) 0,193 mg/l PNEC (Sediment) PNEC (Sediment) PNEC sediment (freshwater) 1000 mg/kg dwt PNEC sediment (marine water) 1000 mg/kg dwt PNEC (Soil) PNEC soil 100 mg/kg dwt PNEC (STP)	titanium dioxide (13463-67-7)			
DNEL/DMEL (General population) Long-term - systemic effects,oral 700 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0,184 mg/l PNEC aqua (marine water) 0,0184 mg/l PNEC aqua (intermittent, freshwater) 0,193 mg/l PNEC (Sediment) PNEC (Sediment) 1000 mg/kg dwt PNEC sediment (freshwater) 100 mg/kg dwt PNEC (Soil) PNEC (Soil) PNEC (STP)	DNEL/DMEL (Workers)			
Long-term - systemic effects,oral PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC (Sediment) PNEC sediment (freshwater) 1000 mg/kg dwt PNEC sediment (marine water) PNEC (Soil) PNEC (Soil) PNEC (STP)	Long-term - local effects, inhalation	10 mg/m³		
PNEC (Water) PNEC aqua (freshwater) 0,184 mg/l PNEC aqua (marine water) 0,0184 mg/l PNEC aqua (intermittent, freshwater) 0,193 mg/l PNEC (Sediment) PNEC sediment (freshwater) 1000 mg/kg dwt PNEC sediment (marine water) 100 mg/kg dwt PNEC (Soil) PNEC (Soil) PNEC (STP)	DNEL/DMEL (General population)			
PNEC aqua (freshwater) PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water) PNEC sediment (marine water) PNEC (Soil) PNEC (Soil) PNEC (STP)	Long-term - systemic effects,oral	700 mg/kg bodyweight/day		
PNEC aqua (marine water) PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water) 1000 mg/kg dwt PNEC sediment (marine water) 100 mg/kg dwt PNEC (Soil) PNEC soil 100 mg/kg dwt PNEC (STP)	PNEC (Water)			
PNEC aqua (intermittent, freshwater) PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water) 1000 mg/kg dwt PNEC sediment (marine water) 100 mg/kg dwt PNEC (Soil) PNEC soil 100 mg/kg dwt PNEC (STP)	PNEC aqua (freshwater)	0,184 mg/l		
PNEC (Sediment) PNEC sediment (freshwater) PNEC sediment (marine water) 1000 mg/kg dwt PNEC (Soil) PNEC (Soil) PNEC soil 100 mg/kg dwt PNEC (STP)	PNEC aqua (marine water)	0,0184 mg/l		
PNEC sediment (freshwater) PNEC sediment (marine water) 100 mg/kg dwt PNEC (Soil) PNEC soil 100 mg/kg dwt PNEC (STP)	PNEC aqua (intermittent, freshwater)	0,193 mg/l		
PNEC sediment (marine water) PNEC (Soil) PNEC soil 100 mg/kg dwt PNEC (STP)	PNEC (Sediment)			
PNEC (Soil) PNEC soil 100 mg/kg dwt PNEC (STP)	PNEC sediment (freshwater)	1000 mg/kg dwt		
PNEC soil 100 mg/kg dwt PNEC (STP)	PNEC sediment (marine water)	100 mg/kg dwt		
PNEC (STP)	PNEC (Soil)			
	PNEC soil	100 mg/kg dwt		
PNEC sewage treatment plant 100 mg/l	PNEC (STP)			
	PNEC sewage treatment plant	100 mg/l		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Variable. Appearance : Pasty. Odour : characteristic. Odour threshold : Not available : Not applicable Melting point : Not available Freezing point Boiling point : Not available Flammability : Not applicable **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available : > 100 °C Flash point : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available pН : Not available Viscosity, kinematic Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure : Not available
Vapour pressure at 50 °C : Not available
Density : 1,035 kg/l (20°C)
Relative density : Not available
Relative vapour density at 20 °C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 0,21 – 0,92 % (2.12 g/l - 9.49g/l)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

2-pentanone,O,O',O"-(methylsilylidyne)trioxime (37859-55-5)			
LD50 oral rat 1234 mg/kg (OECD 425 (Acute Oral Toxicity: Up-and-Down Procedure))			
LD50 dermal rat > 1782 (EU method B.3 (Acute Toxicity Dermal))			
2-octyl-2H-isothiazol-3-one (26530-20-1)			
LD50 oral rat 550 mg/kg (Rat, Literature study, Oral)			
LD50 dermal rabbit 690 mg/kg bodyweight (Rabbit, Literature study, Dermal)			
LC50 Inhalation - Rat > 2 mg/m³ (4 h, Rat, Literature study, Inhalation (vapours))			

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified. (On basis of test data. Skin sensitisation Not classified)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Silirub 2S			
Skin Sensitisation (test on mixture), Guinea pig, In vivo	Not sensitising (OECD 406 - Guinea Pigs (Buehler Method))		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified.		
Reproductive toxicity	: Not classified		
STOT-single exposure	: Not classified		
STOT-repeated exposure	: Not classified		
2-pentanone,O,O',O"-(methylsilylidyne)triox	ime (37859-55-5)		
NOAEL (oral, rat, 90 days)	15 mg/kg bodyweight (Animal: rat, Guideline: OECD 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test))		
Aspiration hazard	: Not classified		

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

: Not classified

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Not rapidly degradable

Not rapidly degradable				
2-pentanone,O,O',O"-(methylsilylidyne)trioxime (37859-55-5)				
LC50 - Fish [1] > 113 mg/l (OECD203; Test organisms (species): Oncorhynchus mykiss; 96h)				
C50 - Crustacea [1] > 113 mg/l (OECD202; Test organisms (species): Daphnia Magna; 48h)				
ErC50 algae 88 mg/l (OECD201; Test organisms (species): Pseudokirchneriella subcapitata; 72h)				
2-octyl-2H-isothiazol-3-one (26530-20-1)				
LC50 - Fish [1]	0,14 mg/l (96 h, Pimephales promelas, Literature study)			
LC50 - Fish [2] 0,05 mg/l (96 h, Oncorhynchus mykiss, Literature study)				
EC50 - Crustacea [1] 0,18 mg/l (48 h, Daphnia magna, Literature study)				
EC50 - Crustacea [2]	0,32 mg/l (48 h, Daphnia magna, Literature study)			

12.2. Persistence and degradability

2-pentanone,O,O',O"-(methylsilylidyne)trioxime (37859-55-5)		
Biodegradation 1 % (OECD 301B (CO2 Evolution Test); 28d)		
2-octyl-2H-isothiazol-3-one (26530-20-1)		
Persistence and degradability Inherently biodegradable.		

12.3. Bioaccumulative potential

2-pentanone,O,O',O"-(methylsilylidyne)trioxime (37859-55-5)		
Partition coefficient n-octanol/water (Log Pow) 1,25		
Bioaccumulative potential Bioaccumulation unlikely.		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-octyl-2H-isothiazol-3-one (26530-20-1)		
BCF - Fish [1]	1280 (67 day(s), Lepomis macrochirus, Flow-through system, Literature study)	
Partition coefficient n-octanol/water (Log Pow)	2,45 (Experimental value)	
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).	

12.4. Mobility in soil

2-octyl-2H-isothiazol-3-one (26530-20-1)	
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Non hazardous waste.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Do not discharge into drains or the environment.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

15 01 02 - plastic packaging

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID /

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID n	14.1. UN number or ID number					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.2. UN proper shippin	g name					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport hazard	class(es)					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.4. Packing group	14.4. Packing group					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.5. Environmental hazards						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
No supplementary information	No supplementary information available					

14.6. Special precautions for user

Overland transport

Not regulated

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(b)	2-pentanone,O,O',O"- (methylsilylidyne)trioxime ; 2-octyl-2H-isothiazol-3- one	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	2-octyl-2H-isothiazol-3- one	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content : 0,21 – 0,92 % (2.12 g/l - 9.49g/l)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes				
Section	Changed item	Change	Comments	
	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878			

Abbreviations and acr	Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BLV	Biological limit value		
CAS-No.	Chemical Abstract Service number		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
EC-No.	European Community number		
EN	European Standard		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
vPvB	Very Persistent and Very Bioaccumulative		
WGK	Water Hazard Class		

Full text of H- and EUH-statements:		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
EUH210	Safety data sheet available on request.	
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. (Except for black/brown/transparent product)	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	

Safety Data Sheet (SDS), EU-20212

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.