

**Receiver**
**From**

 Society  
 Reference  
 Address  
 Phone  
 Fax  
 E-mail

**Item n° :**

60114690

**Model :**

DRENAG 600 MA 230/50 10MT H07RNF SCHU

**Pump data**

Pressure rating :

Min. fluid temperature : 0 °C

Max. fluid temperature : 50 °C

Max. Ambient temperature : 40 °C

**Requested data**

Flow : 0 m³/h

Head : 0 m


Fluid : Water, pure

Fluid Temperature : 20 °C

Density : 998.3 kg/m³

Kinematic viscosity : 1.005 mm²/s

Vapor pressure : 100 kPa

**Curve tolerance according to ISO 9906**

**Hydraulic data (duty point)**

Flow :

Head :

**Materials**

Pump body	Stainless Steel (AISI 304)
Support	Stainless Steel (AISI 304)
Impeller	Stainless Steel (AISI 304)
Mechanical seal pump side	_Silicon carbide/Alumina
Mechanical seal motor side	_Ring form
Shaft	AISI 416
_O ring	NBR

**Motor data**

Motor brand : DAB

Nominal power P2 : 0.45 kW

Rated voltage : 1~ 220 - 230 V 50 Hz

Nominal current : 3 A

Number of poles : 2

Rated speed : 2800 rpm

Degree of protection : IP 68

**Weight :** 6.2 kg

**Dimensions in mm**

A	1 " 1/4				
B	154				
C	43				
D	234				
E	213.5				
F	35				
G	132				

**Pump connection**

 Suction side : /  
 Discharge side : 1 " 1/4 / --



# PERFORMANCE CURVES

24/03/2016

Page 2 / 3


Receiver

From

Society  
Reference  
Address  
Phone  
Fax  
E-mail

## DRENAG 600 MA 230/50 10MT H07RNF SCHU

Curve tolerance according to ISO 9906



Hydraulic data (duty point)

Suction side :	Discharge side : 1 " 1/4 --	Flow : 0 m³/h	Head : 0 m	Rated speed : 2800 rpm
Project	Project ID	Created by	Created on <b>24/03/2016</b>	



# DIMENSIONAL DRAWING

24/03/2016

Page 3 / 3

Receiver

From

Society  
Reference  
Address  
Phone  
Fax  
E-mail

## DRENAG 600 MA 230/50 10MT H07RNF SCHU

### Dimensions in mm

### Pump connection

1	A	1 " 1/4							
2	B	154							Suction
3	C	43							
4	D	234							
5	E	213.5							
6	F	35							Discharge
7	G	132							1 " 1/4
									-

Project	Project ID	Created by	Created on <b>24/03/2016</b>
---------	------------	------------	---------------------------------